

Appl. No.: 09/833,607  
Amdt. dated 10/28/2005  
Reply to Office action of 07/29/2005

**Amendment to the Claims:**

The listing of claims will replace all prior versions, and listings of claims in the application:

**Listing of Claims:**

1-9 Canceled

10. (Currently Amended) A method for displaying information on a mobile terminal display via a browser, said information including elements, wherein an element is ~~either one~~ of a continuous length element presenting a length which is equal to or greater than a horizontal size of ~~said the mobile terminal display~~, ~~or and~~ a wrapped length element presenting a horizontal length which is less than the horizontal size of ~~said the mobile terminal display~~, and ~~said the mobile terminal display~~ is further provided with a user interface including a displayed menu structure of items displayed on ~~said the mobile terminal display~~, said method comprising the following steps:

providing in said displayed menu structure a selectable continuous length item and a wrapped length item which are chosen from the mobile terminal display as display options;

selecting one of said continuous length item ~~or and~~ said wrapped length item in the displayed menu structure of the user interface; and

displaying said information according to the selection of the display option made in the menu structure of the user interface, in order to allow a user to toggle between the continuous length item and the wrapped length item,

wherein selection of the continuous length item causes the element to be displayed as the continuous length element on a single line of the mobile terminal display and selection of the wrapped length item causes the wrapped length element to be displayed on a plurality of lines of the mobile terminal display.

Appl. No.: 09/833,607  
Amdt. dated 10/28/2005  
Reply to Office action of 07/29/2005

11. (Previously Presented) A method according to claim 10, wherein said information is displayed as alpha-numerical signs.

12. (Currently Amended) A method according to claim 10, wherein ~~said the~~ continuous length element, having a continuous length, is arranged to be horizontally scrolled over said the mobile terminal display to allow the user to view portions of the continuous length element that are not visible on the mobile terminal display due to the continuous length element extending beyond a horizontal boundary of the mobile terminal display.

13. (Currently Amended) A method according to claim 10, wherein ~~the item of a~~ wrapped length element, is adapted to fit a size of the mobile terminal display, by splitting the wrapped length element into parts, each of the parts part fitting in a size of the mobile terminal display and feeding said parts in a vertical direction over said the mobile terminal display, each time a length of the wrapped length element is greater than the width of the mobile terminal display.

14. (Currently Amended) A mobile phone terminal for displaying information ~~on a display via a browser,~~ the information comprising elements, wherein an element is ~~either provided with one of a continuous length element and presenting a length which is equal to or greater than a horizontal size of said display, or a wrapped length element presenting a length which is less than the horizontal size of said display,~~ said terminal comprising:

a display for displaying said information; and

a user interface provided with a displayed menu structure displayed on said display comprising a selectable continuous length item and a wrapped length item which are chosen from the display as display options, said continuous and wrapped length items are arranged to display said information according to a selection of the display option made in the menu structure, in order to allow a user to toggle between the continuous length item and the wrapped length item.

Appl. No.: 09/833,607  
Amdt. dated 10/28/2005  
Reply to Office action of 07/29/2005

wherein selection of the continuous length item causes the element to be displayed as the continuous length element on a single line of the display and selection of the wrapped length item causes the wrapped length element to be displayed on a plurality of lines of the display, the continuous length element presenting a length which is equal to or greater than a horizontal size of the display, and the wrapped length element presenting a horizontal length which is less than the horizontal size of the display.

15. (Previously Presented) A terminal according to claim 14, wherein said information is alpha-numerical.

16. (Currently Amended) A terminal according to claim 14, wherein said the continuous length element, having a continuous length, is arranged to be horizontally scrolled over said display to allow a user to view portions of the continuous length element that are not visible on the display due to the continuous length element extending beyond a horizontal boundary of the display.

17. (Currently Amended) A terminal according to claim 14, wherein the wrapped length element, having a wrapped length, is arranged to split the element into parts, each of the parts part-fitting in the size of the display and to feed said parts in a vertical direction over said display, each time a length of the wrapped length element is greater than a width of the display.

18. (Currently Amended) A mobile phone terminal for displaying information on a display via a browser, said information comprising elements, wherein an element is either one of provided with a continuous length element presenting a length which is equal to or greater than a horizontal size of said display, or and a wrapped length element presenting a length which is less than the horizontal size of said display, said terminal comprising:

a display for displaying said information and a display menu structure of items displayed on said display;

Appl. No.: 09/833,607  
Amdt. dated 10/28/2005  
Reply to Office action of 07/29/2005

means for selecting a first type of elements to be displayed as a continuous length item and a second type of elements to be displayed as a wrapped length item which are chosen from the display as display options of the displayed menu structure; and

means for displaying the first and second type of elements according to selection as a display option of the menu structure,

wherein selection of the continuous length item causes the element to be displayed as the continuous length element on a single line of the display and selection of the wrapped length item causes the wrapped length element to be displayed on a plurality of lines of the display, the continuous length element presenting a length which is equal to or greater than a horizontal size of the display, and the wrapped length element presenting a horizontal length which is less than the horizontal size of the display.

19. (Currently Amended) A method according to claim 10 wherein:

the display displays the displayed menu structure provided by the interface and ~~a the~~ user selects from the display of the menu structure to have a display of ~~said one of the~~ continuous length item ~~or said and the~~ wrapped length item by providing an input choosing one of the display options through the display menu structure indicating the selection of the one of the continuous length item ~~or said and the~~ wrapped length item.

20. (Currently Amended) A method according to claim 11 wherein:

the mobile terminal display displays the displayed menu structure provided by the interface and ~~a the~~ user selects from the display of the menu structure to have a display of ~~said one of the~~ continuous length item ~~or said and the~~ wrapped length item by providing an input choosing one of the display options through the display menu structure indicating the selection of the one of the continuous length item ~~or said and the~~ wrapped length item.

21. (Currently Amended) A method according to claim 12 wherein:

the display displays the displayed menu structure provided by the interface and ~~a the~~ user selects from the display of the menu structure to have a display of ~~said one of the~~ continuous

Appl. No.: 09/833,607  
Amdt. dated 10/28/2005  
Reply to Office action of 07/29/2005

length item ~~or said-and the~~ wrapped length item by providing an input choosing one of the display options through the display menu structure indicating the selection of the one of the continuous length item ~~or said-and the~~ wrapped length item.

22. (Currently Amended) A method according to claim 13 wherein:

the display displays the displayed menu structure provided by the interface and ~~a the~~ user selects from the display of the menu structure to have a display of ~~said-one of the~~ continuous length item ~~or said-and the~~ wrapped length item by providing an input choosing one of the display options through the display menu structure indicating the selection of the one of the continuous length item ~~or said-and the~~ wrapped length item.

23. (Currently Amended) A terminal according to claim 14 wherein:

the display displays the displayed menu structure provided by the interface and a user selects from the display of the menu structure to have a display of ~~said-one of the~~ continuous length item ~~or said-and the~~ wrapped length item by providing an input choosing one of the display options through the display menu structure indicating the selection of the one of the continuous length item ~~or said-and the~~ wrapped length item.

24. (Currently Amended) A terminal according to claim 15 wherein:

the display displays the displayed menu structure provided by the interface and a user selects from the display of the menu structure to have a display of ~~said-one of the~~ continuous length item ~~or said-and the~~ wrapped length item by providing an input choosing one of the display options through the display menu structure indicating the selection of the one of the continuous length item ~~or said-and the~~ wrapped length item.

25. (Currently Amended) A terminal according to claim 16 wherein:

the display displays the displayed menu structure provided by the interface and ~~a the~~ user selects from the display of the menu structure to have a display of ~~said-one of the~~ continuous length item ~~or said-and the~~ wrapped length item by providing an input choosing one of the

Appl. No.: 09/833,607  
Amdt. dated 10/28/2005  
Reply to Office action of 07/29/2005

display options through the display menu structure indicating the selection of the one of the continuous length item ~~or said and the~~ wrapped length item.

26. (Currently Amended) A terminal according to claim 17 wherein:

the display displays the displayed menu structure provided by the interface and a user selects from the display of the menu structure to have a display of ~~said one of the~~ continuous length item ~~or said and the~~ wrapped length item by providing an input choosing one of the display options through the display menu structure indicating the selection of the one of the continuous length item ~~or said and the~~ wrapped length item.

27. (Currently Amended) A terminal in accordance with claim 18 wherein:

the display displays the displayed menu structure provided by the interface and a user selects from the display of the menu structure to have a display of ~~said one of the~~ continuous length item ~~or said and the~~ wrapped length item by providing an input choosing one of the display options through the display menu structure indicating the selection of the one of the continuous length item ~~or said and the~~ wrapped length item.

28. (New) A computer program product for displaying information on a mobile terminal display via a browser, the information including elements, wherein an element is one of a continuous length element presenting a length which is equal to or greater than a horizontal size of the mobile terminal display, and a wrapped length element presenting a horizontal length which is less than the horizontal size of the mobile terminal display, and the mobile terminal display is further provided with a user interface including a displayed menu structure of items displayed on the mobile terminal display, the computer program product comprising at least one computer-readable storage medium having computer-readable program code portions stored therein, the computer-readable program code portions comprising:

a first executable portion for providing in the displayed menu structure a selectable continuous length item and a wrapped length item which are chosen from the mobile terminal display as display options;

Appl. No.: 09/833,607  
Amdt. dated 10/28/2005  
Reply to Office action of 07/29/2005

a second executable portion for selecting one of the continuous length item and the wrapped length item in the displayed menu structure of the user interface; and

a third executable portion for displaying the information according to the selection of the display option made in the menu structure of the user interface, in order to allow a user to toggle between the continuous length item and the wrapped length item,

wherein selection of the continuous length item causes the element to be displayed as the continuous length element on a single line of the mobile terminal display and selection of the wrapped length item causes the wrapped length element to be displayed on a plurality of lines of the mobile terminal display.

29. (New) A computer program product according to claim 28, wherein the third executable portion is further adapted to arranging the continuous length element to be horizontally scrolled over the mobile terminal display to allow the user to view portions of the continuous length element that are not visible on the mobile terminal display due to the continuous length element extending beyond a horizontal boundary of the mobile terminal display.

30. (New) A computer program product according to claim 28, wherein the third executable portion is further adapted to fitting the wrapped length element to a size of the mobile terminal display by splitting the wrapped length element into parts, each of the parts fitting in a size of the mobile terminal display and feeding the parts in a vertical direction over the mobile terminal display, each time a length of the wrapped length element is greater than the width of the mobile terminal display.

31. (New) An electromagnetic signal embodied in a carrier wave for causing display of information on a mobile terminal display via a browser, the information including elements, wherein an element is one of a continuous length element presenting a length which is equal to or greater than a horizontal size of the mobile terminal display, and a wrapped length element presenting a horizontal length which is less than the horizontal size of the mobile terminal

Appl. No.: 09/833,607  
Amdt. dated 10/28/2005  
Reply to Office action of 07/29/2005

display, and the mobile terminal display is further provided with a user interface including a displayed menu structure of items displayed on the mobile terminal display, the electromagnetic signal comprising:

a first source code segment for providing in the displayed menu structure a selectable continuous length item and a wrapped length item which are chosen from the mobile terminal display as display options;

a second source code segment for selecting one of the continuous length item and the wrapped length item in the displayed menu structure of the user interface; and

a third source code segment for displaying the information according to the selection of the display option made in the menu structure of the user interface, in order to allow a user to toggle between the continuous length item and the wrapped length item,

wherein selection of the continuous length item causes the element to be displayed as the continuous length element on a single line of the mobile terminal display and selection of the wrapped length item causes the wrapped length element to be displayed on a plurality of lines of the mobile terminal display.

32. (New) An electromagnetic signal according to claim 28, wherein the third source code segment is further adapted to arranging the continuous length element to be horizontally scrolled over the mobile terminal display to allow the user to view portions of the continuous length element that are not visible on the mobile terminal display due to the continuous length element extending beyond a horizontal boundary of the mobile terminal display.

33. (New) An electromagnetic signal according to claim 28, wherein the third source code segment is further adapted to fitting the wrapped length element to a size of the mobile terminal display by splitting the wrapped length element into parts, each of the parts fitting in a size of the mobile terminal display and feeding the parts in a vertical direction over the mobile terminal display, each time a length of the wrapped length element is greater than the width of the mobile terminal display.